WI-415 Salisbury City Fire Department Salisbury Public

On February 4, 1928, the *Salisbury Advertiser and Wicomico Countian* announced the dedication of the newly erected Salisbury Fire Headquarters, also known as Firehouse No. 1. Built at a cost of \$55,000, the new fire station was described at the time:

The imposing  $46 \times 80$  new brick structure is considered as fine a home as any individual fire company in Maryland can boast. The building is two floors with basement. The first floor houses the equipment, valued at \$50,000 and including five pieces of motorized apparatus.

The article also related that the second floor was used for the volunteers' locker rooms and chief's quarters, while the basement served as the place to dry the hoses. The firm of Hastings and Parsons was the general contractor with the concrete work subcontracted to Laws Construction Company.

The sturdy brick and concrete fire station followed the prevailing taste in public architectural design for the early twentieth century with its neoclassical four-bay South Division Street elevation. Defined by five brick pilasters accented with stone capitals, the front wall is also enriched with a bold modillion block cornice that stretches around two sides of the station. A parapet wall encircles the roof, and the front wall is enhanced by a decorative crest featuring a large

masonry shield embossed with the letter "S." On the rear wall a brick bell tower rises another story and is covered by a pyramidal roofed sheathed with green tiles.

The Salisbury Fire Headquarters is an important architectural element in the downtown business district and it reflects the prominence of neoclassical design in early twentieth-century public architecture.

## MARYLAND HISTORIC PRESERVATION PLAN INFORMATION

RESOURCE NAME: Sa	lisbury Fir	ce Headquarters	
MHT INVENTORY NUMBE	R:WI-415		
MARYLAND COMPREHEN	SIVE PLAN D	PATA	
1. Historic Period Theme(s):	Architectur	ce	÷2
2. Geographic Orientation:	Eastern Sho	ore	
3. Chronological/Developmen	t Period(s):	Industrial/Urban	Dominance
	• •	1870-1930	
4. Resource Type(s):	Fire Statio	on	

## Maryland Historical Trust State Historic Sites Inventory Form

## MARYLAND INVENTORY OF HISTORIC PROPERTIES

Surve	y No.	WI-415
Magi 1		
DOE	ves	no

1. Nai	<b>me</b> (indicate p	oreferred name)		
historic	Salisbury Fire	Headquarters		
and/or commo	on			
2. Loc	cation			
street & numb	per South Divis	ion Street		not for publication
city, town	Salisbury	vicinity of	congressional district	First
state	Maryland	county	Wicomico	
3. Cla	ssification			
Category district building(structure) structure site object		Status occupied unoccupied work in progress Accessible X yes: restricted yes: unrestricted no	Present Use agriculture commercial educational entertainment government industrial military	museum park private residence religious scientific transportation other:
4. Ow	ner of Prope	erty (give names a	nd mailing addresse	s of <u>all</u> owners)
name	City of Salisb	ıry		
street & numb	Government	Office Building	telephone n	o.:
city, town	Salisbury	state	and zip code MD	21801
5. Loc	cation of Leg	gal Description	on	
courthouse, re	egistry of deeds, etc.	Nicomico County C	lerk of Court	liber
street & numb	er Wicomico Con	unty Courthouse		folio
city, town	Salisbury		state	MD 21801
6. Rep	presentation	n in Existing	Historical Surv	eys
title				
date			federal stat	e county loca
depository for	survey records			
city, town		e 1	state	

## 7. Description

Survey No. WI-415

Condition deteriorated x_ good ruins fair unexposed	Check one unaltered x altered	Check one original site moved date of move	
---	-------------------------------	--	--

Prepare both a summary paragraph and a general description of the resource and its various elements as it exists today.

The Salisbury Fire Headquarters is located on a triangular lot bordered by South Division Street, Circle Avenue, and Market Street in the business district of Salisbury, Wicomico County, Maryland. The fire station headquarters faces west.

Erected in 1927-28, the Salisbury Fire Headquarters was built into a eastward slope of land descending from its highest point along South Division Street. The rear elevation of the building has a fully exposed cellar, and the building is covered with a sloping shed roof hidden behind a parapet. Supported on a poured concrete foundation, the brick walls are laid in stretcher bond with stone accents.

The west (main) elevation is four-bay facade with five brick pilasters dividing the wall into even bays. The first floor has been modified with the consolidation of four bays into two for entrance and exit of modern fire trucks. The second floor is pierced by four evenly spaced double replacement windows. Stone sills and keystone blocks accent the window openings, and the pilasters have stone capitals. A molded stone frieze extends across the station directly above the pilasters. Fixed above the stone frieze is a narrow band of brickwork that features a stone name plaque inscribed "Salisbury Fire Headquarters." Directly above the brick band is a bold modillion block entablature that highlights the front wall as well as the south side. Rising atop the stone entablature is a brick parapet wall finished with a concrete cap. On the front of the parapet is a decorative crest that features a shield embossed with the capital letter "S."

The south side is six bays across with an exposed poured concrete foundation defined by projecting concrete bases which are extensions of the seven brick pilasters that mark the brick facade. The four center bays of the six-bay facade are pierced by double window openings accented with stone keystones within brick jack arches. The outer two bays have single width window openings that are also distinguished by a jack arch and stone keystone. The southwestern corner bay is pierced by a side door opening. Above the second floor series of windows is the molded stone frieze and above it is the brick band and modillion block entablature.

The north side is a six-bay facade defined by plain brick pilasters that extend from the concrete foundation to the parapet cap. The six bays are pierced by an asymmetrical grouping of double and single replacement windows, and a double door entrance. Rising above the northeast corner of the station is an interior brick furnace flue.

The rear (east) wall has a fully exposed cellar with a garage entrance and an asymmetrical fenestration of double and single window openings. Each window opening has a brick jack arch and a stone keystone. A series of narrow single pane sash windows light the center stair providing access to the belfry. The pyramidal roofed belfry is distinguished by a round arched opening in each side. The round arches are accented with stone impost and keystone blocks. Each arched opening is set within a slightly recessed panel that corbells outward along the top edge to the surface of the tower wall. The belfry is capped by a pyramidal roof featuring exposed rafter ends and a green tile covering.

heriod	-1499 -1599 -1699 -1799 -1899	Areas of Significance— archeology-prehistoric — archeology-historic — agriculture — x architecture — art — commerce — communications	Check and justify below  Community planning
Specific	dates	1927-28	Builder/Architect Hastings and Parsons, Contractor
check:	ar	cable Criteria:A nd/or cable Exception:	A _ B _ C _ D _ E _ F _ G
	Leve]	of Significance: _	_nationalstate $\underline{x}$ local
Prepare support	both.	a summary paragraph	of significance and a general statement of history and
		On February 4, 192	8 the Salishury Advertiser and Wicomico Countian announced

as Firehouse No. 1. Built at a cost of \$55,000, the new fire station was described at the time:

The imposing 46 x 80 new brick structure is considered as fine a home as

the dedication of the newly erected Salisbury Fire Headquarters, also known

The imposing  $46 \times 80$  new brick structure is considered as fine a home as any individual fire company in Maryland can boast. The building is two floors with basement. The first floor houses the equipment, valued at \$50,000 and including five pieces of motorized apparatus.

The article also related that the second floor was used for the volunteers' locker rooms and chief's quarters, while the basement served as the place to dry the hoses. The firm of Hastings and Parsons was the general contractor with the concrete work subcontracted to Laws Construction Company.

The sturdy brick and concrete fire station followed the prevailing taste in public architectural design for the early twentieth century with its neoclassical four-bay South Division Street elevation. Defined by five brick pilasters accented with stone capitals, the front wall is also enriched with a bold modillion block cornice that stretches around two sides of the station. A parapet wall encircles the roof, and the front wall is enhanced by a decorative crest featuring a large masonry shield embossed with the letter "S." On the rear wall a brick bell tower rises another story and is covered by a pyramidal roofed sheathed with green tiles.

The Salisbury Fire Headquarters is an important architectural element in the downtown business district and it reflects the prominence of neoclassical design in early twentieth-century public architecture.

0. Geographi	cal Data			
creage of nominated property	plete UTM refere	ences	Quadrangle	scale
Zone Easting No	orthing	B Zone	Easting I	Northing
		D		
erbal boundary description				
		apping state or co	unty boundaries	
ist all states and counties fo		apping state or co	unty boundaries	code
ist all states and counties for	or properties overla		unty boundaries	code code
ist all states and counties fo tate	or properties overla code code	county	unty boundaries	
ist all states and counties for tate  11. Form Prep	or properties overla code code	county		
ist all states and counties for tate tate  11. Form Prepared ame/title Paul B. Toua	code  code  code  ared By  rt, Architect	county	an	
	code  code  ared By  rt, Architect	county  county  tural Histori  da	an	code

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to:

Maryland Historical Trust

Shaw House 21 State Circle

Annapolis Maryland 21401

(301) 269-2438

MARYLAND HISTORICAL TRUST
DHCP/DHCD

100 COMMUNITY PLACE CROWNSVILLE, MD 21032-2023

514-7600

T



N1-4=5 SA = 2/37 A = 2/37 A = 2/37 A = 3



Statement Ville House Speciment Nicolar Comment 2/97, 1/Am = 140+ 612 -100



Denvisor Ene Yeary was to 3 61 3